Revision History:

Y/M/D	Author	iViewer HD version
2014/12/29	Chris	5.3.1017.20
2014/10/27	Chris	5.3.1016.17
2014/09/26	Chris	5.3.1015.16
2014/08/08	Chris	5.3.1012.15
2014/06/06	Chris	5.3.1012.13
2014/05/15	Chris	5.3.108.12
2014/04/07	Chris	5.1.107.8
2013/12/13	Chris	4.5.104.5
2013/10/18	Chris	4.3.101.4
2013/07/11	Stanley Lin	4.1.100.1

Ps The latest update should be listed on the t

© 2013 AVer Information Inc. All rights reserved.
All rights of this object belong to AVer Information Inc. Reproduced or transmitted in any form or by any means without the prior written permission of AVer Information Inc. is prohibited. All information or specifications are subject to change without prior notice. “AVer” is a trademark owned by AVer Information Inc. Other trademarks used herein for description purpose only belong to each of their companies.

Release Notes

Product	iViewerHD
Version	5.3.1017.20
Introduction	Official Release
Hardware Compatibility	iphone3, iphone4, iphone4S, iphone5, iphone5S, iPAD, iPAD mini
Operating Systems	iOS7 or above
Compatibility List	1. AVer NVR/DVR: E ,P series, IWH series, EH series, NV series 2. Camera: SF2121H-R, SF2121H-BHR, SF2121H-DVR, FB2027-1/(E), FB2027-2,FB2027-3/(E), FB3027, FB2028-T1/(E), FB2028-T2/(E), FB2028-TM/(E), FV2028-T/(E),FV2028-TM/(E), FX2000/(E), FB3028-RT1/(E), FB3028-RT2/(E), FB3028-RTM/(E), FD2020/(E), FD2020-M/(E), FD3020, FD3020-M, FV2028/(E), FV3028, FV3028-RT/(E), FV3028-RTM/(E), FX3000-R/(E), SF2012H, SF2012H-B, SF2012H-C, SF2012H-D, SF2012H-DV, SF2111H-BR, SF2111H-DR, SF2111H-DVR, SF2111H-R, FV1306, FV2006, FC1320-P, FC1320-PW, FC2020-P, FC2020-PW, SD1306, FD1020, FC1020-P, FC2020-P1
Change Log	Fixed iViewerHD UI problem as below in iOS8: 1. Display resolution was incorrect when switch to 4 split channel in horizontal mode. 2. Password dialog will disappear when trying to connect to NVR.
Known Issues	1. iViewer HD will show connection failed when user changed the RTSP path setting of IP camera. 2. IP camera port number should be refer to the RTSP port number of IP camera (default is 554), but SF2012 and SF2111 series default is 80. 3. 2-way audio function in live view mode only supports IWH3216, E5016(H), E1008(H), P5036-R, P5036-16-R. 4. When the WiFi or 3G signal is weak or NVR/IP camera is busy, iViewer HD can’t search total devices in LAN when using NVR/IP camera search function.
Others	N/A

© 2013 AVer Information Inc. All rights reserved.
All rights of this object belong to AVer Information Inc. Reproduced or transmitted in any form or by any means without the prior written permission of AVer Information Inc. is prohibited. All information or specifications are subject to change without prior notice. “AVer” is a trademark owned by AVer Information Inc. Other trademarks used herein for description purpose only belong to each of their companies.

Release Notes

Product	iViewerHD
Version	5.3.1016.17
Introduction	Official Release
Hardware Compatibility	iphone3, iphone4, iphone4S, iphone5, iphone5S
Operating Systems	iOS7 or above
Compatibility List	3. AVer NVR/DVR: E ,P series, IWH series, EH series, NV series 4. Camera: SF2121H-R, SF2121H-BHR, SF2121H-DVR, FB2027-1/(E), FB2027-2,FB2027-3/(E), FB3027, FB2028-T1/(E), FB2028-T2/(E), FB2028-TM/(E), FV2028-T/(E),FV2028-TM/(E), FX2000/(E), FB3028-RT1/(E), FB3028-RT2/(E), FB3028-RTM/(E), FD2020/(E), FD2020-M/(E), FD3020, FD3020-M, FV2028/(E), FV3028, FV3028-RT/(E), FV3028-RTM/(E), FX3000-R/(E), SF2012H, SF2012H-B, SF2012H-C, SF2012H-D, SF2012H-DV, SF2111H-BR, SF2111H-DR, SF2111H-DVR, SF2111H-R, FV1306, FV2006, FC1320-P, FC1320-PW, FC2020-P, FC2020-PW, SD1306, FD1020, FC1020-P, FC2020-P1
Change Log	3. Fixed iViewer HD compatibility issue with iOS8.
Known Issues	5. iViewer HD will show connection failed when user changed the RTSP path setting of IP camera. 6. IP camera port number should be refer to the RTSP port number of IP camera (default is 554), but SF2012 and SF2111 series default is 80. 7. 2-way audio function in live view mode only supports IWH3216, E5016(H), E1008(H), P5036-R, P5036-16-R. 8. When the WiFi or 3G signal is weak or NVR/IP camera is busy, iViewer HD can't search total devices in LAN when using NVR/IP camera search function.
Others	N/A

© 2013 AVer Information Inc. All rights reserved.
All rights of this object belong to AVer Information Inc. Reproduced or transmitted in any form or by any means without the prior written permission of AVer Information Inc. is prohibited. All information or specifications are subject to change without prior notice. "AVer" is a trademark owned by AVer Information Inc. Other trademarks used herein for description purpose only belong to each of their companies.

Release Notes

Product	iViewerHD
Version	5.3.1015.16
Introduction	Official Release
Hardware Compatibility	iphone3, iphone4, iphone4S, iphone5, iphone5S
Operating Systems	iOS6 or above
Compatibility List	1. NVR/DVR: E ,P series, IWH series, EH series, NV series 2. Camera: SF2121H-R, SF2121H-BHR, SF2121H-DVR, FB2027-1/(E), FB2027-2,FB2027-3/(E), FB3027, FB2028-T1/(E), FB2028-T2/(E), FB2028-TM/(E), FV2028-T/(E),FV2028-TM/(E), FX2000/(E), FB3028-RT1/(E), FB3028-RT2/(E), FB3028-RTM/(E), FD2020/(E), FD2020-M/(E), FD3020, FD3020-M, FV2028/(E), FV3028, FV3028-RT/(E), FV3028-RTM/(E), FX3000-R/(E), SF2012H, SF2012H-B, SF2012H-C, SF2012H-D, SF2012H-DV, SF2111H-BR, SF2111H-DR, SF2111H-DVR, SF2111H-R, FV1306, FV2006, FC1320-P, FC1320-PW, FC2020-P, FC2020-PW, SD1306, FD1020, FC1020-P, FC2020-P1
Change Log	1. Support AVer NVR P5036-R, P5036-16-R 4. Remove iViewer on app store, iViewer HD is suitable both for iPhone and iPAD platform.
Known Issues	1. iViewer will show connection failed when user changed the RTSP path setting of IP camera. 2. IP camera port number should be refer to the RTSP port number of IP camera (default is 554), but SF2012 and SF2111 series default is 80. 3. 2-way audio function in live view mode only supports IWH3216, E5016 and E5016H. 4. When the WiFi or 3G signal is weak or NVR/IP camera is busy, iViewer can’t search total devices in LAN when using NVR/IP camera search function.
Others	N/A

© 2013 AVer Information Inc. All rights reserved.
All rights of this object belong to AVer Information Inc. Reproduced or transmitted in any form or by any means without the prior written permission of AVer Information Inc. is prohibited. All information or specifications are subject to change without prior notice. “AVer” is a trademark owned by AVer Information Inc. Other trademarks used herein for description purpose only belong to each of their companies.

Release Notes

Product	iViewerHD
Version	5.3.1012.15
Introduction	Official Release
Hardware Compatibility	iphone3, iphone4, iphone4S, iphone5, iphone5S
Operating Systems	iOS6 or above
Compatibility List	1. NVR/DVR: E series, IWH series, EH series, NV series 2. Camera: SF2121H-R, SF2121H-BHR, SF2121H-DVR, FB2027-1/(E), FB2027-2,FB2027-3/(E), FB3027, FB2028-T1/(E), FB2028-T2/(E), FB2028-TM/(E), FV2028-T/(E),FV2028-TM/(E), FX2000/(E), FB3028-RT1/(E), FB3028-RT2/(E), FB3028-RTM/(E), FD2020/(E), FD2020-M/(E), FD3020, FD3020-M, FV2028/(E), FV3028, FV3028-RT/(E), FV3028-RTM/(E), FX3000-R/(E), SF2012H, SF2012H-B, SF2012H-C, SF2012H-D, SF2012H-DV, SF2111H-BR, SF2111H-DR, SF2111H-DVR, SF2111H-R, FV1306, FV2006, FC1320-P, FC1320-PW, FC2020-P, FC2020-PW, SD1306, FD1020, FC1020-P, FC2020-P1
Change Log	1. Increase camera list number to 1024. 2. Support AVer IP camera: FD1020, FC1020-P, FC2020-P1 3. Fixed ”Network Disconnect” wording issue.
Known Issues	1. iViewer will show connection failed when user changed the RTSP path setting of IP camera. 2. IP camera port number should be refer to the RTSP port number of IP camera (default is 554), but SF2012 and SF2111 series default is 80. 3. 2-way audio function in live view mode only supports IWH3216, E5016 and E5016H. 4. When the WiFi or 3G signal is weak or NVR/IP camera is busy, iViewer can’t search total devices in LAN when using NVR/IP camera search function.
Others	N/A

© 2013 AVer Information Inc. All rights reserved.
All rights of this object belong to AVer Information Inc. Reproduced or transmitted in any form or by any means without the prior written permission of AVer Information Inc. is prohibited. All information or specifications are subject to change without prior notice. “AVer” is a trademark owned by AVer Information Inc. Other trademarks used herein for description purpose only belong to each of their companies.

Release Notes

Product	iViewerHD
Version	5.3.1012.13
Introduction	Official Release
Hardware Compatibility	iphone3, iphone4, iphone4S, iphone5, iphone5S
Operating Systems	iOS6 or above
Compatibility List	1. NVR/DVR: E series, IWH series, EH series, NV series 2. Camera: SF2121H-R, SF2121H-BHR, SF2121H-DVR, FB2027-1/(E), FB2027-2,FB2027-3/(E), FB3027, FB2028-T1/(E), FB2028-T2/(E), FB2028-TM/(E), FV2028-T/(E),FV2028-TM/(E), FX2000/(E), FB3028-RT1/(E), FB3028-RT2/(E), FB3028-RTM/(E), FD2020/(E), FD2020-M/(E), FD3020, FD3020-M, FV2028/(E), FV3028, FV3028-RT/(E), FV3028-RTM/(E), FX3000-R/(E), SF2012H, SF2012H-B, SF2012H-C, SF2012H-D, SF2012H-DV, SF2111H-BR, SF2111H-DR, SF2111H-DVR, SF2111H-R, FV1306, FV2006, FC1320-P, FC1320-PW, FC2020-P, FC2020-PW, SD1306
Change Log	1. Bug fixed: H.264 codec compatibility issue on NV series platform.
Known Issues	1. iViewer will show connection failed when user changed the RTSP path setting of IP camera. 2. IP camera port number should be refer to the RTSP port number of IP camera (default is 554), but SF2012 and SF2111 series default is 80. 3. 2-way audio function in live view mode only supports IWH3216, E5016 and E5016H. 4. When the WiFi or 3G signal is weak or NVR/IP camera is busy, iViewer can't search total devices in LAN when using NVR/IP camera search function.
Others	N/A

© 2013 AVer Information Inc. All rights reserved.
All rights of this object belong to AVer Information Inc. Reproduced or transmitted in any form or by any means without the prior written permission of AVer Information Inc. is prohibited. All information or specifications are subject to change without prior notice. "AVer" is a trademark owned by AVer Information Inc. Other trademarks used herein for description purpose only belong to each of their companies.

Release Notes

Product	iViewerHD
Version	5.3.108.12
Introduction	Official Release
Hardware Compatibility	iphone3, iphone4, iphone4S, iphone5, iphone5S
Operating Systems	iOS6 or above
Compatibility List	1. NVR/DVR: E series, IWH series, EH series, NV series 2. Camera: SF2121H-R, SF2121H-BHR, SF2121H-DVR, FB2027-1/(E), FB2027-2,FB2027-3/(E), FB3027, FB2028-T1/(E), FB2028-T2/(E), FB2028-TM/(E), FV2028-T/(E),FV2028-TM/(E), FX2000/(E), FB3028-RT1/(E), FB3028-RT2/(E), FB3028-RTM/(E), FD2020/(E), FD2020-M/(E), FD3020, FD3020-M, FV2028/(E), FV3028, FV3028-RT/(E), FV3028-RTM/(E), FX3000-R/(E), SF2012H, SF2012H-B, SF2012H-C, SF2012H-D, SF2012H-DV, SF2111H-BR, SF2111H-DR, SF2111H-DVR, SF2111H-R, FV1306, FV2006, FC1320-P, FC1320-PW, FC2020-P, FC2020-PW, SD1306
Change Log	New Feature: 1. Support 2-way audio for E5016 and E5016H 2. Support analog camera PTZ setting
Known Issues	2. iViewer will show connection failed when user changed the RTSP path setting of IP camera. 2. IP camera port number should be refer to the RTSP port number of IP camera (default is 554), but SF2012 and SF2111 series default is 80. 3. 2-way audio function in live view mode only supports IWH3216, E5016 and E5016H. 4. When the WiFi or 3G signal is weak or NVR/IP camera is busy, iViewer can't search total devices in LAN when using NVR/IP camera search function. 5. iViewer can't decode h.264 codec when connect to NV series DVR.
Others	N/A

© 2013 AVer Information Inc. All rights reserved.
All rights of this object belong to AVer Information Inc. Reproduced or transmitted in any form or by any means without the prior written permission of AVer Information Inc. is prohibited. All information or specifications are subject to change without prior notice. "AVer" is a trademark owned by AVer Information Inc. Other trademarks used herein for description purpose only belong to each of their companies.

Release Notes

Product	iViewerHD
Version 5.1.107.8	
Introduction	Official Release
Hardware Compatibility	iphone3, iphone4, iphone4S, iphone5, iphone5S
Operating Systems	iOS6 or above
Compatibility List	1. NVR/DVR: E series, IWH series, EH series, NV series 2. Camera: SF2121H-R, SF2121H-BHR, SF2121H-DVR, FB2027-1/(E), FB2027-2,FB2027-3/(E), FB3027, FB2028-T1/(E), FB2028-T2/(E), FB2028-TM/(E), FV2028-T/(E),FV2028-TM/(E), FX2000/(E), FB3028-RT1/(E), FB3028-RT2/(E), FB3028-RTM/(E), FD2020/(E), FD2020-M/(E), FD3020, FD3020-M, FV2028/(E), FV3028, FV3028-RT/(E), FV3028-RTM/(E), FX3000-R/(E), SF2012H, SF2012H-B, SF2012H-C, SF2012H-D, SF2012H-DV, SF2111H-BR, SF2111H-DR, SF2111H-DVR, SF2111H-R, FV1306, FV2006, FC1320-P, FC1320-PW, FC2020-P, FC2020-PW, SD1306
Change Log	New Feature for E-series NVR 1. Support auto-search NVR/IP Camera 2. Support event search in playback mode 3. Show NVR health status 4. Show POS information Improvement: 1. Support digit-PTZ in live view and playback mode 2. Bug fixed
Known Issues	1. IP camera will show connection failed when user change the RTSP path setting. 2. When setting IP camera, the port number should be refer to the RTSP port number of IP camera (default is 554) except SF2012 and SF2111 series (default is 80). 3. 2-way audio function in live view mode only supports IWH3216. 4. iViewer doesn't support PTZ function with analog camera. 5. POS information only support playback mode in this version.

© 2013 AVer Information Inc. All rights reserved.
All rights of this object belong to AVer Information Inc. Reproduced or transmitted in any form or by any means without the prior written permission of AVer Information Inc. is prohibited. All information or specifications are subject to change without prior notice. "AVer" is a trademark owned by AVer Information Inc. Other trademarks used herein for description purpose only belong to each of their companies.

Product	iViewerHD
	6. When the WiFi signal is weak or NVR/IP Camera is too busy, iViewer can't search total devices in LAN when using NVR/IPCamer search function.
Others	N/A

© 2013 AVer Information Inc. All rights reserved.
All rights of this object belong to AVer Information Inc. Reproduced or transmitted in any form or by any means without the prior written permission of AVer Information Inc. is prohibited. All information or specifications are subject to change without prior notice. "AVer" is a trademark owned by AVer Information Inc. Other trademarks used herein for description purpose only belong to each of their companies.

Release Notes

Product	iViewerHD
Version	4.5.104.5
Introduction	Official Release
Hardware Compatibility	Iphone3, Iphone4, Iphone4S, Iphone5
Operating Systems	iOS4.3 or above
Compatibility List	1. NVR: Full range of AVER NVRs/DVRs 2. Camera: SF2121H-R, SF2121H-BHR, SF2121H-DVR, FB2027-1, FB2027-2,FB2027-3, FB3027, FB2028-T1, FB2028-T2, FB2028-TM, FV2028-T,FV2028-TM, FX2000, FB3028-RT1, FB3028-RT2, FB3028-RTM, FD2020, FD2020-M, FD3020, FD3020-M, FV2028, FV3028, FV3028-RT, FV3028-RTM, FX3000-R, SF2012H, SF2012H-B, SF2012H-C, SF2012H-D, SF2012H-DV, SF2111H-BR, SF2111H-DR, SF2111H-DVR, SF2111H-R, FV1306, FV2006, FC1320-P, FC1320-PW, FC2020-P, FC2020-PW, SD1306
Change Log	1. Support more camera model
Known Issues	1. IP camera will connection failed when user change the RTSP path setting from IP camera's web UI. 2. When setting IP camera, the port number should be refer to the RTSP port number of IP camera. 3. 2-way audio function in live view mode only supports for IWH3216.
Others	N/A

© 2013 AVer Information Inc. All rights reserved.
All rights of this object belong to AVer Information Inc. Reproduced or transmitted in any form or by any means without the prior written permission of AVer Information Inc. is prohibited. All information or specifications are subject to change without prior notice. "AVer" is a trademark owned by AVer Information Inc. Other trademarks used herein for description purpose only belong to each of their companies.

Release Notes

Product	iViewerHD
Version	4.3.101.4
Introduction	2nd Official Release
Hardware Compatibility	Iphone3, Iphone4, Iphone4S, Iphone5
Operating Systems	iOS4.3 or above
Compatibility List	1. NVR: Full range of AVER NVRs/DVRs 2. Camera: SF2121H-R, SF2121H-BHR, SF2121H-DVR, FB2027-1, FB2027-2,FB2027-3, FB3027, FB2028-T1, FB2028-T2, FB2028-TM, FV2028-T,FV2028-TM, FX2000, FB3028-RT1, FB3028-RT2, FB3028-RTM, FD2020, FD2020-M, FD3020, FD3020-M, FV2028, FV3028, FV3028-RT, FV3028-RTM, FX3000-R, SF2012H, SF2012H-B, SF2012H-C, SF2012H-D, SF2012H-DV, SF2111H-BR, SF2111H-DR, SF2111H-DVR, SF2111H-R
Change Log	1. New user interface with new process 2. Customized login password checking method 3. Support new camera module (Aver homemade) 4. Remove slide function in live view mode.
Known Issues	1. When the internet connection is unstable or 3G signal is weak, live view image maybe broken or lost.
Others	N/A

Ps The latest update should be listed on the top

© 2013 AVer Information Inc. All rights reserved.
All rights of this object belong to AVer Information Inc. Reproduced or transmitted in any form or by any means without the prior written permission of AVer Information Inc. is prohibited. All information or specifications are subject to change without prior notice. “AVer” is a trademark owned by AVer Information Inc. Other trademarks used herein for description purpose only belong to each of their companies.

Release Notes

Product	iViewerHD
Version	4.1.100.1
Introduction	1st Official Release
Hardware Compatibility	Iphone3, Iphone4, Iphone4S, Iphone5
Operating Systems	iOS4.3 or above
Compatibility List	NVR: Full range of AVER NVRs/DVRs Camera: SF2012H, SF2012H-B, SF2012H-C, SF2012H-D, SF2012H-DV, SF2111H-BR, SF2111H-DR, SF2111H-DVR, SF2111H-R
Change Log	N/A
Known Issues	N/A
Others	N/A

© 2013 AVer Information Inc. All rights reserved.
All rights of this object belong to AVer Information Inc. Reproduced or transmitted in any form or by any means without the prior written permission of AVer Information Inc. is prohibited. All information or specifications are subject to change without prior notice. “AVer” is a trademark owned by AVer Information Inc. Other trademarks used herein for description purpose only belong to each of their companies.